

National Manual of Assets and Facilities Management Volume 6, Chapter 20

Cleaning Horizontal / Vertical Plan for Municipal

Document No. EOM-ZM0-PL-000071 Rev 001



Document Submittal History:

Revision:	Date:	Reason For Issue
000	28/03/2020	For Use
001	18/08/2021	For Use



THIS NOTICE MUST ACCOMPANY EVERY COPY OF THIS DOCUMENT

IMPORTANT NOTICE

This document, ("Document") is the exclusive property of Government Expenditure & Projects Efficiency Authority.

This Document should be read in its entirety including the terms of this Important Notice. The government entities may disclose this Document or extracts of this Document to their respective consultants and/or contractors, provided that such disclosure includes this Important Notice.

Any use or reliance on this Document, or extracts thereof, by any party, including government entities and their respective consultants and/or contractors, is at that third party's sole risk and responsibility. Government Expenditure and Projects Efficiency Authority, to the maximum extent permitted by law, disclaim all liability (including for losses or damages of whatsoever nature claimed on whatsoever basis including negligence or otherwise) to any third party howsoever arising with respect to or in connection with the use of this Document including any liability caused by negligent acts or omissions.

This Document and its contents are valid only for the conditions reported in it and as of the date of this Document.



Table of Contents

1.0	PURPC)SE	5
2.0	SCOPE		5
3.0	DEFINI	TIONS	6
4.0	REFER	ENCES	7
		NSIBILITIES	
5.0			
5.1	,	Director	
5.2		Manager	
5.3 5.4		g SupervisorSafety and Environment Representative	
5.4 5.5		bloyees	
5.6		ctors/Cleaning Service Provider (CSP)	
		, ,	
6.0	PROCE	SS	9
6.1	Prepara	ation	9
	6.1.1	Key Components of the Cleaning Plan	
	6.1.2	Setting Plan Objectives, and Performance Targets	10
	6.1.3	Stakeholder Management	
	6.1.4	Establishing Manpower Requirements	
	6.1.5	Contingency Planning	
6.2	•	entation	
	6.2.1	Chemicals and Consumables Inventory	
	6.2.2	Cleaning Tools and Equipment Inventory	
~ ^	6.2.3	Frequency and Form of Cleaning	
6.3	6.3.1	Safety and Environment (HSE) Requirements	
	6.3.1	Risk Assessments and Method Statements (RAMS)	15 16
	6.3.3	Job Hazard Analysis (JHA)	
	6.3.4	Signage	
	6.3.5	Safety Incident Management and Reporting	17
6.4]	
7.0	ATTAC	HMENTS	18
٠ ۸ ++ ۵ -		Sample Cleaning Chemicals and Consumables Inventory	
		– Sample Cleaning Chemicals and Consumables Inventory – Sample Cleaning Equipment Inventory	
		– Sample Cleaning Equipment inventory	
		EOM-ZMO-TP-000161 – Frequency Cleaning Schedule Template for Municipal	
		, , , , , , , , , , , , , , , , , , ,	•



1.0 PURPOSE

The purpose of this document is to provide Entity and Facility Management Company (FMC) guidance in developing and improving cleaning plans within the municipal facilities. These are the standardized cleaning plans, in compliance with leading industry standards and best practice.

Implementing guidance contained herein shall enable the Entity and/or FMC to maintain cleanliness and consistent cleaning levels for the control of pollution and infection through well maintained, and clean environment which meets the expectations of municipal staff and visitors.

This document features guidance regarding the following key elements which will help to implement the cleaning plans for municipal facilities:

- Responsibilities of cleaning personnel, Facilities Management (FM), staff, and other facility users involved in maintaining a clean and healthy environment
- · Cleaning activities and frequencies
- Record keeping and reporting
- Training
- Auditing, evaluations, and monitoring compliance
- Health, Safety and Environment (HSE) requirements
- Incident management

2.0 SCOPE

The scope of this document includes cleaning plans for all functional areas within the municipal facilities. However, if there is a catering facility available, it is covered by food hygiene laws and is not included in this document, except where the catering facility forms an integral part of another functional area for which catering is not the primary purpose (e.g., pantry, beverage bay, staff room). The Entity shall be responsible for determining whether the size of specific catering facilities shall be governed by guidance contained herein, or by regulations falling outside the scope of this document.

Components of cleaning plans covered herein include:

- Identification of cleaning requirements
- Setting cleaning frequencies and work schedules
- Providing Risk Assessments and Method Statements (RAMS) and Job Hazard Analysis (JHA) associated with cleaning tasks
- Contingency planning
- · Measuring cleaning effectiveness based on visual assessment
- Implementing corrective actions
- Establishing and maintaining the competence of staff
- Conducting performance analysis and implementing improvement actions
- Record keeping and reporting

For the purpose of this document, a "municipal facility" has been defined as a building, portion of a building or space where various activities take place including but not limited to:

- Buildings that are multi use in local community facilities that may also be open to public use
- Smaller regional government offices (e.g., libraries, town hall and community centres)
- Regional facility buildings under the control of local government
- Larger office buildings (to be read in conjunction with "National Manual of Assets and Facilities Management (NMA & FM) Volume 6, Chapter 20 Offices")
- Mosques and other prayer facilities

Guidance herein does not cover cleaning of mechanical and electrical equipment internal parts. For example, cleaning interiors of Heating, Ventilation and Air Conditioning (HVAC) systems and lift shafts shall form part of Planned Preventative Maintenance (PPM) activities undertaken by Mechanical, Electrical and



Plumbing (MEP) staff. Further guidance can be found within the National Manual of Assets and Facility Management, Volume 6 (e.g. Mechanical System, HVAC Electrical System, Elevators and Escalators)

3.0 DEFINITIONS

Term	Definitions
Consumables	Items such as disinfectants, chemicals, paper towels, hand soap liquid,
2 3332 3333 333	and treatment agents which are used as part of cleaning activities
Frequency	Time period under which repetition of tasks shall be carried out to
, ,	maintain the expected cleanliness at all times
Inspection	Visual observation of a stationary or operating asset, and physical
·	areas
Kentucky Mop	The traditional mop used in many facilities in the KSA. It has a head
	made of looped cotton that becomes heavy when wetted and is
	notorious for moving dirt from one area of a Facility to another rather
	than removing it
Microfiber	Used in cleaning extensively due to its characteristics, which include
	softness, toughness, absorption, water repellency. The use of
	washable microfiber cloths, as well as detachable and washable
	microfiber such as on mops and sweeping tools collect far more dirt
	than traditional cleaning equipment
Tool	Manual or powered hand-held cleaning tools used in the process of
D. int. (Wests District	cleaning the facilities
Point of Work Risk Assessment	A checklist reeferred to by operatives at the work location immediately
(POWRA)	before carrying out a task Abbreviations
BICSc	British Institute of Cleaning Science
CIMS	Cleaning Industry Management Standard
COSHH	Control of Substances Hazardous to Health
CSP	Cleaning Service Provider
FM	Facilities Management
HR	Human Resources
HSE	Health, Safety and Environment
HVAC	Heating, Ventilation and Air Conditioning
ISO	International Organization for Standardization
JCI	Joint Commission International
JHA	Job Hazard Analysis
KPI	Key Performance Indicator
MEP	Mechanical, Electrical and Plumbing
MEWP	Mobile Elevated Working Platform
NHS	National Health Service (UK)
NIGP	National Institute of Governmental Purchasing
NMA & FM	National Manual of Assets and Facilities Management
OEM	Original Equipment Manufacturer
OSHA	Occupational Safety and Health Administration
PAT	Portable Appliance Testing
PPE	Personal Protective Equipment
PPM	Planned Preventative Maintenance
RAMS	Risk Assessment and Method Statement
SDS	Safety Data Sheet
SLA	Service Level Agreement
SMART	Specific, Measurable, Achievable, Realistic, Time bound
WHSWR	The Workplace (Health, Safety, and Welfare) Regulations 1992
	Table 4. Definitions

Table 1: Definitions



4.0 REFERENCES

- British Institute of Cleaning Science (BICSc)
- Cleaning Industry Management Standard (CIMS 3000:2008)
- Control of Substances Hazardous to Health (COSHH) Regulations (UK, 2002)
- International Organization for Standardization (ISO 45001:2018) Standard for Occupational Health and Safety
- International Organization for Standardization (ISO 9001:2015) Quality System Standard
- Joint Commission International (JCI)
- Health and Social Care Act 2008
- National Institute of Governmental Purchasing (NIGP), US Organization Principles and Practices of Public Procurement
- National Manual of Assets and Facilities Management (NMA & FM) Volume 14, Chapter 2 Emergency Management Procedure (EOM-ZE0-PR-000001)
- Occupational Safety and Health Administration (OSHA) Working at Height (29 CFR 1926.500-503)
- Occupational Safety and Health Administration (OSHA) Personal Protective Equipment (PPE) {3151-12R (2004)}
- Workplace Health, Safety and Welfare Regulations (WHSWR), 1992

5.0 RESPONSIBILITIES

This section outlines the roles and associated responsibilities of all personnel directly or indirectly involved in successful establishment and delivery of cleaning plans within municipal facilities

5.1 Facility Director

The facility director is a member of the Entity's senior leadership team who sponsors and enables the delivery of policies associated with maintaining a clean and healthy environment. The facility director holds overall accountability of staff and the activities relevant to cleaning which take place within municipal facilities.

Responsibilities associated with this role include:

- Securing and monitoring the facility's financial budget for cleaning activities sufficient to meet cleanliness standards within each municipal facility, based on inputs from the facility manager
- Reviewing and approving contractor performance reports and driving change across the Entity based on feedback from staff, contractors, and visitors
- Approving budgets for resources such as consumables, equipment, and staffing up to Entityprescribed budgetary approval thresholds

5.2 Facility Manager

The facility manager is responsible for successful delivering of cleaning plans within municipal facilities.

Key responsibilities associated with this role include:

- Ensuring satisfaction of staff, and visitors with the cleanliness of the municipal facility
- Successful delivery of cleaning activities and achievement of Key Performance Indicators (KPIs)
- Appointment of contractors, cleaning service providers, and third parties associated with cleaning activities within the facility
- Leadership of supervisors under whom cleaning teams shall operate
- Preparing and presenting financial budget for cleaning activities to the facility director
- Identifying remedial works and areas of improvement
- Identifying staffing requirements and conducting interviews
- Writing cleaning related specifications and requirements in line with latest standards and best practice

Cleaning Horizontal / Vertical Plan for Municipal

- Defining departmental objectives
- Developing policies and procedures in line with documented Cleaning Standards within the framework of British Institute of Cleaning Science (BICSc)
- Overseeing the selection of facilities service providers with an appropriate transparent procurement system using subcontractors with proven track records within the KSA government sector and a demonstrable credibility of the service quality standards
- Overseeing the appropriate bidding and award of contract agreements
- Monitoring contractor hiring, training, performance, and appraisals

5.3 Cleaning Supervisor

Cleaning supervisor is accountable for the actions of cleaning personnel and holds overall responsibility for the implementation of cleaning plans and procedures.

Other key responsibilities include:

- Managing and monitoring cleaning staff performance
- Continuous monitoring of standards, both self-monitoring and technical audits
- Preparing and arranging cleaning schedules for approval by the facility manager
- · Identifying resource requirements and areas of improvement

5.4 Health Safety and Environment Representative

Responsibilities of the Health, Safety and Environment (HSE) Representative include the following:

- Overseeing appropriate implementation of all industry HSE standards including the Control of Substances Hazardous to Health (COSHH) within cleaning operations and plans
- Overseeing and monitoring the quality reporting systems of contracted services carrying out cleaning work within the facility
- Ensuring RAMS and JHA are in place
- Identifying hazards to building users, equipment, and the environment while cleaning works are in progress
- Recommending and supporting the implementation of risk mitigation and control measures
- Ensuring compliance with appropriate cleaning policies, procedures, standards, and industry best practice
- Monitoring and controlling facility's safety performance by carrying out quality and safety audits, setting thresholds, and employing reporting and feedback as part of continuous improvement

5.5 All Employees

Entity staff operating within municipal facilities have a responsibility to keep their workplace safe, clean, and tidy.

Staff shall, as a minimum:

- Support the aims and objectives of the Entity's cleaning plans by employing behavioral best practice, for example, helping maintain the cleanliness by placing debris in the waste bin rather than leaving it for cleaning personnel
- Under no circumstances exhibit unsafe behavior
- At all times report unsafe practices, hazards, and near-miss incidents through the Entity's reporting protocols

5.6 Contractors/Cleaning Service Provider (CSP)

All cleaning tasks delegated by the Entity to a Cleaning Service Provider (CSP) shall fall under a Service Level Agreement (SLA). The CSP shall conform to the requirements of the SLA, and performance shall be measured via contractually agreed upon KPIs. The SLA shall also outline, as a minimum: manpower requirements, training needs, and specifications (e.g., cleaning equipment, technology, tools, machinery,

Document No.: EOM-ZM0-PL-000071 Rev 001 | Level-3-E - External



chemicals, and consumables). It shall be defined in line with standards published in this document, and by professional cleaning institutions such as British Institute of Cleaning Science (BICSc).

The CSP appointed under SLA is responsible for managing and operating cleaning services throughout the facility in compliance with Entity requirements.

Deliverables associated with the SLA may include, for example:

- An organization structure suitable to the needs of managing the delivery of cleaning in the Entity's facility
- RAMS and JHA covering all cleaning activities
- Task descriptions, work schedules, and cleaning plans
- Emergency plans for cleaning activities

It is essential to hire professional cleaning contractors with extensive experience in the cleaning industry, who possess staff with adequate training and qualifications in the field.

Note: The Entity shall oversee vendor selection; selection of appropriate Cleaning Service Provider (CSP) is a key area and shall be undertaken in conjunction with the procurement team using a transparent contractor evaluation procedure that ensures impartiality and transparency and prevents any potential conflicts of interest.

6.0 PROCESS

Figure 1 shows the process which shall be followed in order to successfully implement cleaning plans for municipal facilities:




Figure 1: Cleaning Plans Implementation Process for Municipal

This section outlines operational best practice, training requirements, and methods of cleaning which shall help to maintain infection prevention and control within the facility (e.g., reduction of the risk of transmission of microorganisms and cross contamination).

6.1 Preparation



6.1.1 Key Components of the Cleaning Plan

Key components of the cleaning plan include, but are not limited to:

- Risk Assessments and Method Statements (RAMS)
- Procurement of all necessary safety equipment and PPE
- Operative training requirements matrix and training records of operatives which prove compliance
- Induction requirements
- · Facility specific requirements
- Stakeholder management (e.g. contractors, staff, visitors)
- Performance level requirements for elements such as cleanliness levels, response times, conformance to working hours
- Code of conduct
- Resource matrix.
- Facility layouts showing locations of all areas covered by the cleaning plan with (BICSc color codes), tools, equipment, chemicals, and consumables
- Cleaning schedule (showing resources against time) for all locations
- Auditing requirements
- Organizational charts for Entity and contractors showing interface points
- Contact details of Entity and contractor's key personnel
- Infection prevention and control policies and procedures
- Procedures of the cleaning services provider
- Fixed asset register for areas covered under the cleaning plan
- Asset inventory for tools, equipment, chemicals, and consumables
- · A means of requesting, reporting, and recording reactive work
- A communications plan

6.1.2 Setting Plan Objectives, and Performance Targets

The Entity shall set its own aim for a cleaning program using the following statement as guidance:

"The Entity aims to improve current cleanliness levels within its municipal facilities year-on-year and provide a healthy atmosphere for staff and visitors"

In order to help the Entity to meet its aim for the cleaning program, it shall set objectives which are Specific, Measurable, Achievable, Realistic, and Time bound (SMART).

Setting SMART objectives involves the following steps:

- Establish a baseline for cleanliness levels within each facility through means such as:
 - Visual inspection
 - Analyze trends of non-compliance instances against existing and historical KPIs
 - Review historical complaints
 - Review time stamping
 - o Review HSE reports concerning loss-time and near-miss incidents related to cleaning
 - o Carry out surveys which target all facility users e.g., contractors, staff, visitors
- Map the requirements of cleaning standards against facility requirements
- Implement a monitoring and targeting approach against the cleanliness levels baseline
- Carry out periodic reviews of latest cleaning standards, technologies, guidelines, and industry best
 practice laid out by professional cleaning bodies; then ensure that cleaning related documentation,
 and targets are updated accordingly. Amendments to performance level requirements shall be
 discussed and agreed between the Entity and the CSP before targets are revised

6.1.3 Stakeholder Management

Stakeholders are facility users who are affected by or involved in the cleaning program. These include, but not limited to contractors, staff, and visitors.

Document No.: EOM-ZM0-PL-000071 Rev 001 | Level-3-E - External

Cleaning Horizontal / Vertical Plan for Municipal

A "Stakeholder Management Matrix" shall be established and maintained by the facility manager and be developed using the same inputs as those which were used to develop objectives and performance targets.

6.1.4 Establishing Manpower Requirements

Manpower requirements shall be determined by the CSP based on inputs provided by the Entity.

Such inputs shall include:

- Facility layouts
- · List of areas included under the cleaning program, including corresponding floor areas
- Facility asset register
- Facility operating hours
- Performance level requirements
- Details of problem areas within the Facility such as, but not limited to:
 - Damaged hard flooring
 - Damaged carpets
 - o Greasy floors
 - Faulty drainage
 - Locations prone to flooding
 - o Locations with high impact due to sandstorms
- A list of peak times, number of users, and details of operations for each area

This information will enable the CSP to determine the resources (e.g., manpower, tools, consumables, and equipment) required to maintain specific levels of cleanliness within municipal facilities.

Maximizing quantum and accuracy of information provided to contractors during the procurement phase helps in cost optimization and performance enhancement of cleaning activities within municipal facilities.

Contractors shall carry out a pre-bid site visit to the facility before submitting proposals to the Entity.

6.1.5 Contingency Planning

Arrangements shall be made to meet peak loads, and contingency plans need to be in place in the event of an outbreak, industrial action, utility failure or other events that may cause cleaning services to be compromised. An example of adequate resourcing is by ensuring that public washrooms have additional cleaning at prayer times to avoid unsightly mess from increased use. The facility manager shall review peak times and locations with the CSP, and plan accordingly.

The facility manager shall also collaborate with the CSP to establish a process for requesting additional cleaning input (e.g., reactive cleaning).

During emergency incidents such as infection outbreaks and natural calamities, an appointed person shall attend emergency management meetings and agree actions on behalf of the CSP.

6.2 Implementation

6.2.1 Chemicals and Consumables Inventory

The CSP, in collaboration with the cleaning supervisor, shall regularly undertake an inventory of chemicals held at the facility and record their rate of use.

Safe storage considerations shall be reflected within the risk assessment and all cleaning associated chemicals shall be stored in a room specified for the storage of chemicals (i.e. fitted with appropriate fire and life safety systems, and ventilation systems). The room shall be accessible only by the facility manager, cleaning supervisor, and dedicated staff via lockable access door.



Hard copies of documentation such as Safety Data Sheet (SDS) and cleaning material manufacturer information shall be stored in a fire-proof cabinet accessible only by the facility manager and the cleaning supervisor via lockable drawers.

All chemicals shall feature the manufacturer's original label showing the chemical properties, warning signs, and expiration dates. Refer to **Attachment 1** for a sample list of items and their descriptions.

The CSP shall receive Entity consent for chemicals used on site. Chemicals shall include only municipality-approved treatments. In case the CSP wishes to use a chemical product that has not been approved by the Entity in writing, it shall obtain written authority from the municipality or such bodies, prior to use.

6.2.2 Cleaning Tools and Equipment Inventory

The CSP, in collaboration with the cleaning supervisor, shall regularly undertake an inventory of the cleaning equipment held at the facility and record their condition. Such equipment includes e.g., vacuum cleaners, auto-scrubbers, water extracting machines, high-speed buffing machines. All assets shall be maintained in line with OEM recommendations.

An equipment inventory shall feature key information such as make and model, purchase date, storage location, location of equipment manuals, accessories, current condition, Portable appliance testing (PAT), and reference to repair and maintenance log.

Non-mechanical hand tools, as shown in Figure 2 (below) shall also be featured as part of an equipment inventory. Such equipment includes e.g., mops, buckets, spray bottles, brushes, dust cloths. The inventory shall include key information such as product name and manufacturer, quantities, and storage locations.

Modern cleaning methods have now moved away from traditional cloths, dusters, mops, and brooms and now increasingly rely on microfiber as the optimal cleaning methods. Removable mop heads and brush heads that can be laundered provide the best defense against the spread of unwanted infection in any multi-user facility. Due to their absorbency and construction, they also use far less water than traditional 'Kentucky Mops' and attract and retain lesser dust and dirt, thereby providing improved cleaning outcomes when compared to traditional broom and dustpan, and wet mop methods of cleaning.



Figure 2: Non-mechanical Hand Tools

All non-mechanical hand tools shall be regularly inspected and replaced or repaired as necessary. Where appropriate, all equipment must also have necessary maintenance checks conducted by qualified persons in accordance with OEM recommendations (refer to **Attachment 2**).

6.2.3 Frequency and Form of Cleaning

Frequency of cleaning is governed by several factors, such as: Entity's cleaning, and infection prevention and control policies, risk assessments, performance requirements, and reactive cleaning requirements.

Cleaning schedules shall be established by the CSP with agreement from the facility manager prior to implementation. Such schedules shall cover all planned cleaning activities.

Cleaning Horizontal / Vertical Plan for Municipal

Reactive cleaning shall be carried out, as required, in line with cleaning procedures, performance requirements under the SLA, and a well-defined reactive cleaning process (refer to **Attachment 4**).

6.2.3.1 Daily Scheduled Cleaning

Such services form part of routine cleaning throughout the facility. Areas shall include, but not be limited to reception areas, waiting areas, staff rooms, washrooms, conference rooms, and administration areas.

Daily cleaning schedules shall be actioned irrespective of the perceived cleanliness of the area. For example, even if the floor in a corridor appears visibly clean, daily cleaning is still required.

Daily cleaning schedules cover routine cleaning for all areas and surfaces which are accessible with non-mechanical hand tools and cleaning equipment from ground level without the use of scaffold, ladder, or Mobile Elevated Working Platform (MEWP). For example, fixtures, fittings, furnishings, floors, walls, glass (or portions thereof) which can be accessed from ground level shall require daily cleaning.

Cleaning tasks forming part of daily cleaning schedules include e.g., damp dusting, damp mopping, sweeping, litter collection, waste disposal, removing marks from surfaces, replenishing consumables (e.g., hand wash, paper towels, hand sanitizer).

6.2.3.2 Reactive Cleaning

Reactive cleaning is any cleaning which is carried out by the CSP that was not accounted for within cleaning schedules. Reactive cleaning is carried out on an "as needed" basis in line with a request lodged by stakeholders (e.g., contractors, staff, and visitors).

Reactive cleaning service requirements shall be outlined within the SLA. Examples of reactive cleaning include requests associated with chronic leakages, spillage on the floor or furniture, and addressing damage carried to the premises (e.g., graffiti, other vandalism, or caused in error).

Reactive cleaning shall be assigned a hierarchy of response depending on the nature of the request. For example, spillage of body fluid in a public space such as vomit on the floor poses a greater health risk than spillage of a beverage on upholstery.

6.2.3.3 Emergency Cleaning

Emergency cleaning is that associated with emergency incidents and shall be executed during the post emergency phase. Examples include cleaning associated with fire, flood, and traffic collisions. For further guidance regarding emergency incidents, refer to NMA & FM Volume 14, Chapter 2 – Emergency Management Procedure (EOM-ZE0-PR-000001).

6.2.3.4 Deep Cleaning

Deep cleaning schedules are periodic activities, scheduled in advance and agreed between the CSP and the Entity.

Deep cleaning is sometimes a time critical activity. Therefore, turnaround time for the area being cleaned shall be kept to a minimum.

Deep cleaning activities often require an area to be entirely cleared. Deep cleaning shall be scheduled at a time of low traffic (i.e. during off-peak hours, or night shift) when the normal functioning is suspended, the facility can receive a lasting clean.

As a result of the number of additional activities to be undertaken when compared with daily or weekly cleaning, deep cleaning often involves larger quantities of manpower and greater use of tools and equipment such as heavy duty scrubbing machines, scaffolding, and MEWPs. Cleaning plans and associated RAMS, and JHA shall reflect the additional requirements.

Cleaning Horizontal / Vertical Plan for Municipal

6.2.3.5 External Areas

Cleaning of external areas is important to conserve building integrity, enhance the Entity's reputation, and to portray the best possible image of the facility to the public. The CSP shall allocate a team dedicated to cleaning and maintaining external areas on a daily basis.

External areas include, but are not limited to:

- Car parks
- Roads
- Hard standing areas
- Pavements and walkways
- Steps
- Dustbins
- Rooftops
- Water features
- Terraces
- Canopies
- Outdoor furniture
- · Sand and gravel areas
- Lawns and landscaped areas

Building exterior cleaning such as window cleaning (e.g., glass, frames, ledges), claddings, and all forms of external design structure, shall also be included. Depending on the construction materials involved, consideration shall be given to water washing external walls and sand blasting as required.

Accessible windows (e.g., glass, frames, ledges), shall be cleaned on a regular, weekly, or as needed basis, taking into consideration weather conditions.

All high level glass and claddings above five meters are to be cleaned as per requirement. As a minimum, it is advisable that this is undertaken every four to six months. This cleaning is often undertaken by a specialist contractor due to high risk access requirements which exceed the competence level of typical CSP. Dependent on the facility, window cleaning may require rope access systems, cranes, boom lifts, scaffolding, MEWPs, and building cradle systems. RAMS and JHA shall be in place prior to undertaking any work from height. Building access infrastructure shall be tested and certified as part of the Planned Preventative Maintenance Schedule (PPM).

If road closures are required to undertake planned cleaning, then the CSP shall ensure that a municipality permit is granted prior to undertaking work (Refer to **Attachment 4**).

6.2.3.6 Internal Areas

The CSP shall be responsible for daily cleaning of internal areas. Internal areas include, but are not limited to:

- All floors (e.g., tiled, vinyl, carpeted, terrazzo)
- · facility rooms with fittings and fixtures
- All entrances/exits
- Foyers
- Reception areas
- Storerooms
- · Kitchens and tea rooms
- Meeting rooms
- Guest rooms
- Administrative rooms and offices
- Libraries
- Recreational areas
- Prayer rooms

Cleaning Horizontal / Vertical Plan for Municipal

- Washrooms with all fittings
- · Roller blinds and curtains
- Elevators (e.g., passenger, cargo)
- · Escalators and stairwells
- Internal walls, skirting, coving, and facings
- Furniture
- Electrical fixtures
- All internal windows (e.g., glass, frames, ledges), cladding, skylights
- Atriums

RAMS and JHA shall be in place prior to undertaking any work from height. Building access infrastructure shall be tested and certified as part of PPM schedule. Refer to **Attachment 3** for sample of acceptance levels of cleaning tasks.

6.3 Health Safety and Environment (HSE) Requirements

The Cleaning Service Provider (CSP) HSE representative is responsible for the identification of hazards and preparation of RAMS for the approval of the facility manager and the Entity's health and safety officer.

Emphasis shall be placed by the Entity and the CSP on the control of chemicals and protection of the environment. For example, the CSP shall use only Entity-approved chemicals and shall dispose-of such chemicals in a controlled manner that limits the risk of damage to the environment. Chemicals are considered as controlled waste under KSA Law and shall be processed in compliance with the Statutory Requirements (SC) of the Law and NMA & FM Volume 5, Chapter 17 – Waste Management Procedures for Municipal (EOM-ZO0-PR-000080).

6.3.1 Managing Risk

The CSP shall not, under any circumstances, prescribe PPE without having carried out a risk assessment. The hierarchy of risk control outlined within Figure 3 (below) shall be followed when prescribing risk mitigations.




Figure 3: Hierarchy of Risk Control

Where PPE is justifiably prescribed as a measure of risk mitigation based on a risk assessment, mandatory blue notices as shown in Figure 4 (below) shall be strategically placed throughout the facility and be featured as part of task specific cleaning procedures.

Cleaning Horizontal / Vertical Plan for Municipal



Figure 4: Personal Protective Equipment

The workplace and cleaning activities shall be periodically reassessed for changes in operating conditions that affect the risk profile. For example, if new chemicals, machinery, equipment, staff; or changes in scope occur, a revised risk assessment is required. This periodic reassessment of risk shall also include trend analysis of injury and illness records to identify areas of concern and determine if the risk assessment needs to be revised. Appropriate corrective action shall be agreed between the CSP and the Entity during risk workshops. The suitability of existing PPE, safety devices, and machinery, including an evaluation of its condition and age, shall be included in periodic risk assessments.

6.3.2 Risk Assessments and Method Statements (RAMS)

The following shall form part of the RAMS, as a minimum:

- Risk assessments for the facility
- JHA for each cleaning activity
- Method statements for each cleaning activity
- Standard Operating Procedures (SOPs) for the use of cleaning chemicals showing e.g., direction of use, dilutions, water temperatures, application time, appropriate disposal methods
- · Maintenance schedule for the upkeep of cleaning equipment
- Portable Appliance Test (PAT) records for each electrical appliance
- List of approved chemicals and equipment with SDS
- Chemical handling procedures

6.3.3 Job Hazard Analysis (JHA)

A JHA derived from RAMS shall be undertaken by the cleaning supervisor or working party leader prior to commencement of any cleaning activity.

Basic information contained within the JHA shall include the following:

- Description of area
- Emergency procedure
- · Cleaning procedure being executed
- Hazards identified
- Mitigation measures
- Stakeholders operating in the area
- Confirmation by each member of the working party that the risks and mitigation measures are understood

No operative may commence work until they have received the most recent pre start briefing and JHA covering the work to be undertaken.



6.3.4 Signage

All staff operating within the municipal facilities shall be trained in basic safety requirements of the facility such as fire and life safety procedure and use of safety caution boards (e.g., "Wet Floor", "Cleaning in Progress") as illustrated in Figure 5.



Figure 5: Safety Caution Board

The CSP shall use the color coding system for tools and equipment such as buckets, mops, and hand-cloths to help reduce the risk of cross contamination. BICSc color codes outlined in Table 2 provided below, shall be used by municipals, and all cleaning staff shall be trained in its application.




Table 2: BICSc Color Codes

6.3.5 Safety Incident Management and Reporting

It is the responsibility of the Entity to manage the municipal facilities in such a way as to minimize safety incidents. The Entity shall target a zero-accident rate.

A safety incident refers to any event which causes or could potentially cause harm to people or damage to assets. It includes injury, illness, slips, trips, and falls as a result of work related activities.

The Entity shall have a process of incident reporting in place and the CSP shall comply with this process. The health and safety of staff, contractors, and sub-contractors shall be the Entity's top priority.

Should safety incidents occur, they shall be reported and investigated to ensure that the possibility of recurrence or further risk is minimized. The Entity's Health and Safety Officer shall be responsible for leading all such investigations.

The development of a culture in which hazards are identified, reported and investigated is central to the minimization of their occurrence. Identifying a hazardous situation does not entail placing the blame on a

Cleaning Horizontal / Vertical Plan for Municipal

particular individual; rather, it is characterized by taking the appropriate measures to ensure the avoidance of harm to people and damage to assets.

The Entity and the CSP shall ensure that:

- An incident reporting framework is established and applied to cleaning activities
- Ensure Ministry of Labor department are appropriately notified of all reportable occurrences or events
- Hazards, accidents, and near-misses are reported at the earliest opportunity
- The health and safety officer collates data regarding safety incidents; carries out safety investigations, and publishes their findings in reports; carries out trend analysis regarding safety performance; and takes action to reduce the number of incidents and associated consequences
- All staff are trained in the principles of safety incident reporting and investigation

On occurrence of a work related safety incident:

- The cleaning supervisor shall advise the Facility Manager and the health and safety officer of the safety incident (e.g., injuries, near-misses, accidents, illnesses)
- All injuries and illnesses shall be assessed by a qualified first aider to determine whether further medical treatment is required
- If medical treatment is required, the line manager must ensure that suitable arrangements are made for transport to a doctor or hospital and that the employee is at no time left alone during the process
- Staff shall seek immediate medical attention in the following cases:
 - o Eye injuries, including foreign objects between the eye and eye lid
 - When injury or illness involves a chemical, the SDS and any other information which may have been prepared for such incidents must accompany the injured person to the doctor or hospital

6.4 Training

The Cleaning Service Provider (CSP) shall have a robust training program in place for its staff, and shall provide training for key Entity personnel.

The training program shall include the following basic training:

- Code of conduct
- Risk management
- Working at height
- Manual handling / Ergonomics
- Facility specific training
- Cleaning task specific courses
- Cleaning techniques
- Use of chemicals
- Courses for the use of specific equipment
- HSE training
- Infection prevention and control
- · Preventing sharps injuries
- Hand hygiene

The Entity shall consider the use of external professional cleaning institutions such as BICSc, which offers training courses for cleaning.

Training records, including a "Training and Skills Matrix" shall be maintained locally by the CSP with visibility to the Entity for audit purposes.

7.0 ATTACHMENTS

Attachment 1: Sample Cleaning Chemicals and Consumables Inventory

Document No.: EOM-ZM0-PL-000071 Rev 001 | Level-3-E - External



Attachment 2: Sample Cleaning Equipment Inventory Attachment 3: Acceptance Levels for Cleaning Tasks

Attachment 4: EOM-ZM0-TP-000161 – Frequency Cleaning Schedule Template for Municipal



Attachment 1 – Sample Cleaning Chemicals and Consumables Inventory

Item Description	Purpose		
Carpet Shampoo	Carpet Cleaning		
Floor Polish	Polishing		
Hard Floor Stripper	Stripping polished floors – not Marble		
Marble Floor Polish	Polishing Marble or travertine floors		
Microfiber Mop Head	Washable, Detachable Mop Head		
Red Pad	Floor Buffing		
Green Scrubbing Pad	Floor Scrubbing		
Hand Brush	Sweeping		
Dustpan	Sweeping		
Toilet Bleach/Disinfectant	Toilet Cleaning		
Toilet Brush	Bowl cleaning		
Toilet Deodorant Cakes	Odor Deodorizer for Urinals and Toilets		
Air Freshener	Air Purification		
General Purpose Disinfectant/Surface Cleaner	All-surface cleaner		
Window Cleaner	Glass Cleaning		
Stainless Steel Polish /	Polishing Stainless Steel Surfaces		
Brass Polish	Polishing Brass Fittings		
Janitorial Trolleys	Capable of holding all required janitorial		
	equipment and cleaning products/chemicals		
Rubber/Latex/Nitrile Gloves	Hand Protection		
Spray Gun	Propellant with long nozzle		
Spray Bottles	Close Range Propellant		
Wax-based Polish	Furniture Polish		
Microfiber Cloths	Various – General Purpose		
Microfiber Mop heads	Floor Mopping		
Microfiber Sweeping Heads	Floor Sweeping		
Microfiber High Level Dusting Tool	To Reach areas above head height		
Scouring Pads	Handy use		
Buckets	Various – General Purpose		
Scraper	For the removal of chewing gum and other such		
	substances.		
Waste Bags – Various sizes	Waste Collection		
Blood/Miscellaneous Spill Kit	Cleaning of Body Fluids		



Attachment 2 – Sample Cleaning Equipment Inventory

Description	Purpose	Illustrative Image
Road Sweeper – (Tennant Sentinel shown)	Large Area External Road Sweeping	
Ride on Sweeper (Poli Ride Raptor shown)	External Hard Landscaping Surface Cleaning	
Ride on Scrubber Dryer – (Hefter Clean Tech shown)	Large scale interior floor cleaning	To Haza
Scrubber Dryer – Walk Behind (Hefter Turnado shown)	Small scale interior floor cleaning	
Floor Buffer/Burnisher – (Karcher shown)	Polishing/Shining Interior Hard surfaces – including Marble	
Wet and Dry Vacuum – (Draper shown)	Wet cleaning and surface cleaning	
Heavy Duty Vacuum Cleaner – (NACS shown)	Large scale floor cleaning	



Backpack Vacuum Cleaner – (Makita shown)	Mobile Cleaning	Makita
Carpet Shampooing Machine – (Daimer shown)	Carpet Cleaning	Daint
Carpet/ Hard Floor Dryer – (Karcher shown)	Drying carpet and hard floor surfaces	
High Pressure Water Jet Machine – (Oertzen shown)	High pressure external surface washing	
Jet Washer – (Karcher shown)	External building and hard landscaping surface cleaning	
Mobile Tower Scaffold – High Level Cleaning – (Gorilla shown)	For longer duration high level cleaning	
Fiberglass Extension Ladder – Fire Retardant – (Youngman shown)	Extendible lady for short-term high level cleaning	



Fiberglass Step Ladder – Fire Retardant – (Youngman shown)	Medium height cleaning	
Trolley – (Rubbermaid shown)	Waste Collection – Trolley with fixed sides	
Microfiber Cleaning Cloths	General Purpose Cleaning of all Surfaces	
Microfiber High Dusting Tool – (Geerpres shown)	To Reach areas for High Dusting from Ground Level	
Microfiber Mop – (Amazon supplier shown)	For Damp Mopping floors removable washable pad	
Dust Control Mopping Products – (Frumcare shown)	For Dust Removal from Floors	Salvon Dechasida Cover
Janitorial Trolley - (Rubbermaid shown)	To hold all janitorial products	
Glass Cleaning Kit	Cleaning internal or external glazing	
Extension Pole	High window washing	



Safety Signs – (Safety Signs model shown)	Warning Sign	CAUTION
Extension Roll Cable – (Brennenstuhl shown)	To extend the operating range of electrically powered tools	
Hose Pipe Reel	External Washing	





Attachment 3 - Acceptance Levels for Cleaning Tasks

ALL AREAS	ACCEPTABLE ON COMPLETION OF TASK	ACCEPTABLE BETWEEN CLEANING TASKS	UNACCEPTABLE	
	GENEF			
Removal of loose debris	Free from litter, debris, dust and loose foreign matter	usage between cleans	dust and loose foreign matter	
Removal of impact debris	Free from impact debris such as chewing gum, labels.	Debris arising from usage between cleans	Build-up of impact debris	
	HARD FL			
1. a) Spot mop	Dry and free from spillages, removable stains, superficial marks and loose debris	Debris and spillages arising from usage between cleans	Build-up of spillages, removable stains, superficial marks and loose debris	
b) Full mop	Has uniform appearance and is dry and free from spillages, removable stains, superficial marks and loose debris	Debris and spillages arising from usage between cleans	Build-up of spillages, removable stains, superficial marks and loose debris. Having a non- uniform appearance	
1. Scrub	Dry and free from spillages, removable stains, ingrained dirt, scuffmarks and impacted debris. Of uniform appearance	Debris and scuff marks arising from usage between cleans	stains, spillages, ingrained dirt, scuffmarks and impacted debris. Of non-uniform appearance	
2. Burnish/ Polish	Dry and free from removable stains, spillages, scuffmarks and debris. Has even sheen	Debris and scuff marks arising from usage between cleans	Non-uniform appearance, build-up of removable stains, spillages, loose debris and scuff marks	
	SOFT FL			
1. a) Spot Clean	Free from visible loose debris, dust, fluff and lint, removable stains and matter	Debris arising from usage between cleans	Accumulation of removable debris, dust, fluff, lint and stains around soft floor edges and bases of furniture	
(b) Full suction clean	Free from visible loose debris, dust, fluff and lint. Overall even appearance	Debris arising from usage between cleans	Accumulation of the above around soft floor edges and bases of furniture	
2. Deep clean	Free from impacted debris, dust, fluff and lint. Overall bright appearance. Free from removable stains. Odor free	Debris arising from usage between cleans.	Build-up of impacted and loose debris. Removable stains. Unacceptable odor	
VERTICAL SURFACES AND HIGH LEVEL				
1. Dust	Free from visible loose debris, dust and cobwebs	Debris arising from usage between cleans	Build-up of loose debris and dust on vertical surfaces and at points of contact with horizontal surfaces	
2. a) Damp wipe/spot-wash	Free from impacted debris, dust, cobwebs and removable stains/ graffiti	Debris, dust and stains arising from usage between cleans.	Build-up of impacted debris and dust on vertical surfaces. Removable of stains	





Attachment 4 – EOM-ZMO-TP-000161 – Frequency Cleaning Schedule Template for Municipal

SI			
Code		Non-movable Fixtures and Fittings	Frequency
		WALLS AND SKIRTING	
WS-1	(i)	Internal walls and skirting are free from dust, dirt, stains and cobwebs	Daily
WS-2	(ii)	Light switches are free from fingerprints, stains and any other marks	Daily
WS-3	(iii)	Wall-mounted alcohol hand rub dispensers should be visibly clean and free from blood or body substances, dust, dirt, debris or spillages	Daily
WS-4	(iv)	Hand-wash dispensers should be free from product build-up around the nozzle. Splashes on the wall, floor, sink should not be present	Daily
		CEILINGS, HIGH AREAS, CURTAIN RAILS	
CHC-1	(i)	Ceilings are free from dust, dirt, lint, stains, film and cobwebs	Daily
CHC-2	(ii)	Light covers and diffusers are free from dust, dirt, lint, cobwebs and insects	Daily
CHC-3	(iii)	High shelves and the tops or cupboards are free from dust, dirt, lint, cobwebs and insects	Daily
CHC-4	(iv)	Curtain rails and pelmets are free from dust, dirt, lint, cobwebs and insects	Daily
		WINDOWS	
W-1	(i)	Internal surfaces of glass are free from streaks, spots, fingerprints and smudges	Daily
W-2	(ii)	Window frames, tracks and ledges are clear and free from dust, dirt, marks and spots	Daily
		DOORS	
D-1	(i)	Doors and door frames are free from dust, dirt, lint, fingerprints and cobwebs	Daily
D-2	(ii)	Door grilles and other ventilation outlets are kept unblocked and free from dust, dirt, lint and cobwebs	Daily
D-3	(iii)	Door tracks and door jambs are free from dirt, lint and other debris	Daily
	_	HARD FLOORS (NON-CARPET)	
HF-1	(i)	The floor is free from dust, dirt, litter, stains, film, water or other liquids	Daily
HF-2	(ii)	Inaccessible areas (edges, corners and around furniture) are free from dust, dirt, lint and cobwebs	Daily
HF-3	(iii)	Polished or buffed floors are of a uniform luster	Weekly
HF-4	(iv)	Signage boards and precaution boards	Daily
	S	OFT FLOORS (INCLUDES ALL CARPETS AND CARPE	I IILES)
SF-1	(i)	The floor is free from dirt, litter, stains, badly worn areas, rips or tears	Daily
SF-2	(ii)	Inaccessible areas (edges, corners and around furniture) are free from dirt, lint, stains and cobwebs	Weekly
		DUCTS, GRILLES, AND VENTS	
DGV-1	(i)	All ventilation outlets are kept unblocked and free from dust, lint, cobwebs, mold and marks	Daily
DGV-2	(ii)	All ventilation outlets are kept clear and uncluttered following cleaning	Weekly
ELECTRICAL FIXTURES AND APPLIANCES			
EF-1	(i)	Electrical fixtures and appliances are free from grease, dirt, dust, deposits, and stains	Daily

Document No.: EOM-ZM0-PL-000071 Rev 001 | Level-3-E - External



ENV-1	(i)	more then 3/4 full	Daily
END ()	<i>(</i> 1)	All waste bins, linen bins, sharps containers are no	B ::
WASTE RECEPTACLES			
	` ,	external surfaces are clean ENVIRONMENT	,
T-7	(vii)	build-up and mineral deposits Sanitary disposal units are functional, not over-full, and	Daily
T-6	(v) (vi)	smears, odors, mold and body fats Plumbing fixtures are free from smears, dust, soap	Daily
T-5	(v)	soap build-up and mineral deposits Shower curtains and bath mats are free from stains,	 Daily
T-4	(iv)	Wall tiles, tile grout and wall fixtures (including dispensers) are free from dust, smudges/streaks, mold,	Daily
T-3	(iii)	Metal surfaces, shower screens and mirrors are free from streaks, smudges, soap build-up and oxide deposits	Daily
T-2	(ii)	Sink porcelain and tap fittings are free from smudges, smears, body fluids, soap build-up and mineral deposits	Daily
T-1	(i)	Toilet porcelain and plastic surfaces are free from smudges, soap build-up and mineral deposits	Daily
		TOILET AND BATHROOM FIXTURES	
'	(**)	wet areas	
KF-4	(iv)	from dust and lint Refrigerators/freezers are clean and free from ice build-	Daily
KF-3	(iii)	grease and dirt on inner and outer surfaces Motor vents and grilles for example are clean and free	Weekly
KF-2	(ii)	dirt, dust, deposits, stains and cobwebs Exhaust filters (interior and exterior) are free from	Weekly
KF-1	(i)	Fixtures, surfaces and appliances are free from grease,	Daily
		KITCHENETTE FIXTURES AND APPLIANCES	
FF-9	(x)	Fire extinguishers and fire alarms are free from dust, dirt and cobwebs	Weekly
FF-8	(ix)	stains Internal plants are free from dust and litter	Daily
FF-7	(viii)	Shelves, benchtops, cupboards and wardrobes/lockers are clean inside and out and free from dust, litter and	Daily
FF-6	(vii)	Equipment is free from tapes/plastic for example, which may compromise cleaning	Daily
FF-5	(v)	Window blinds or curtains are free from spots, stains, cobwebs, lint and obvious signs of wear and tear	Daily
FF-4	(iv)	Inaccessible areas (edges, corners, folds and crevices) are free from dust, dirt, lint and stains	Weekly
FF-3	(iii)	Furniture legs, wheels and castors are free from mop strings, film, dust and cobwebs	Daily
FF-2	(ii)	Soft surface furniture is free from stains, lint, rips and worn areas	Daily
FF-1	(i)	Hard surface furniture is free from dust, spots, film, fingerprints and spillages	Daily
		FURNISHINGS AND FIXTURES	
EF-4	(v)	Computer screens, keyboards, telephones are free from dust, lint, and fingermarks	Daily
EF-3	(iii)	Insect killing devices are free from dead insects and are clean and functional	Daily
EF-2	(ii)	Motor vents for example are clean and free from dust and lint	Daily



ENV-2	(ii)	Waste/rubbish bins, sharps containers and linen skips are clean, and free from stains	Daily	
		GENERAL ISSUES AND TIDINESS		
GT-1	(i)	The area appears tidy and uncluttered	Daily	
GT-2	(ii)	Floor space is clear, only occupied by furniture and fittings designed to sit on the floor	Daily	
GT-3	(iii)	Furniture is maintained in a fashion that allows for cleaning	Daily	
GT-4	(iv)	Staff areas	Daily	
		FIRE EXITS AND STAIRWELLS		
FS-1	(i)	The area is free from dust, dirt, cobwebs, litter, stains and spills	Monthly	
		ODOR CONTROL		
OC-1	(i)	All areas including furniture and fixtures should be odor free	Daily	
Departme	Department Name: Room Reference No:			
Name of Cleaning Worker: Signature:				
Date:	Date: Time:			